



Advanced (Persistent) Binary Planting



Mitja Kolsek ACROS

Session ID: HT2-302 Session Classification: Advanced

RSACONFERENCE2012

Today's Menu

Appetizer Entrée Main course Desert Quick Recap Of Binary Planting Persistence In Software Persistence On Computer Guidelines









Binary Planting Quick Summary

DLL hijacking, DLL preloading, Insecure library loading, ...







DLL Search Order

LoadLibrary("SomeLib.dll")

- 1. The directory from which the application loaded
- 2. C:\Windows\System32
- 3. C:\Windows\System
- 4. C:\Windows
- 5. Current Working Directory (CWD)
- 6. PATH





EXE Search Order

CreateProcess("SomeApp.exe")

- 1. The directory from which the application loaded
- 2. Current Working Directory (CWD)
- 3. C:\Windows\System32
- 4. C:\Windows\System
- 5. C:\Windows
- 6. PATH





EXE Search Order

ShellExecute("SomeApp.exe")

- 1. Current Working Directory (CWD)
- 2. C:\Windows\System32
- 3. C:\Windows\System
- 4. C:\Windows
- 5. PATH



Initial Research

- Extended scope: Launching EXEs
- Improved attack vector: WebDAV
- 200+ Windows apps = 500+ binary planting bugs
- Guidelines for developers, administrators
 - www.binaryplanting.com/guidelinesDevelopers.htm
 - www.binaryplanting.com/guidelinesAdministrators.htm
- Free Online Binary Planting Exposure Test
 - www.binaryplanting.com/test.htm





Advanced Research

- COM-Servers, "special folders"
- Setting CWD through IE
- Exploits
 - IE8 on Windows XP two clicks on a web site
 - IE9 on Windows 7 right click, add to archive
- File planting
 - Java .hotspotrc planting
 - Chrome pkcs11.txt planting







Persistence In Software

"The bug that just won't go away"

Microsoft (Sysinternals) Process Monitor

- 1. Filter = "Path Contains <our-path>"
- 2. Launch Application
- 3. Exclude irrelevant activities
- 4. Look for DLL and EXE accesses
- 5. Plant DLL/EXE
- 6. Re-launch Application
- 7. If successful, see call stack





http://www.cs.ucdavis.edu/research/tech-reports/2010/CSE-2010-2.pdf





👌 Process Monitor	- Sinternals: www.sy	sinternals.com				6	23
<u>Eile Edit Ev</u> ent	Filter Tools Option	ns <u>H</u> elp					
🗃 🖬 🕴 🕺 🛙	🕸 🔼 🗧 🖓 🕹) 🗉 🛤 🥇					
Sequ Time F	Process Name PID	Operation	Path	Result	Detail		



No events (capture disabled)

Backed by page file





SL 🔺 😼 🙄 🌒 4:29 PM 11/13/2011

False Positives





🖄 Process Monitor - Sysin rnals: www.sysinternals.com

<u>File Edit Event Filter Tools Options H</u>elp

🌋 🛃 🏯 🌌 🚛 衬 🗛 🚱 🚅 🖬 🍳 👺 🕓 📋 Ē 🏘 🥇 🛛

Sequ	Time	Process Name	PID	Operation	Path	Result	Detail
0	4:33:1	🤇 RealPlay.exe	3024	🔜 CreateFile	C:\Test\BinaryPlanting\RealPlayer\pngu3267.dll	NAME NOT FOUND	Desired Access: R
1	4:33:1	@RealPlay.exe	3024	🛃 CreateFile	C:\Test\BinaryPlanting\RealPlayer\sample.mpeg\desktop.ini	PATH NOT FOUND	Desired Access: G
2	4:33:1	🥝 Real Play.exe 👘	3024	🛃 CreateFile	C:\Test\BinaryPlanting\RealPlayer\sample.mpeg\desktop.ini	PATH NOT FOUND	Desired Access: G
3	4:33:1		3024	🛃 QueryDirectory	C:\Test\BinaryPlanting\RealPlayer\normal	NO SUCH FILE	Filter: normal
4	4:33:1		3024	🛃 CreateFile	C:\Test\BinaryPlanting\RealPlayer\SHDOCLC.DLL	NAME NOT FOUND	Desired Access: R
5	4:33:1		3024	🛃 CreateFile	C:\Test\BinaryPlanting\RealPlayer\http:\europe.real.com\inc\artistinfo\	NAME INVALID	Desired Access: R
6	4:33:1		3024	🛃 CreateFile	C:\Test\BinaryPlanting\RealPlayer\http:\europe.real.com\inc\artistinfo\	NAME INVALID	Desired Access: R
7	4:33:1		3024	🛃 CreateFile	C:\Test\BinaryPlanting\RealPlayer\http:\europe.real.com\inc\artistinfo\	NAME INVALID	Desired Access: R
8	4:33:1	@RealPlay.exe	3024	🛃 CreateFile	C:\Test\BinaryPlanting\RealPlayer\http:\europe.real.com\realplayer\snippets\artis	NAME INVALID	Desired Access: R
9	4:33:1	🥝 Real Play.exe 👘	3024	🛃 CreateFile	C:\Test\BinaryPlanting\RealPlayer\http:\europe.real.com\realplayer\snippets\artis	NAME INVALID	Desired Access: R
10	4:33:1	🥝 Real Play.exe 👘	3024	🛃 CreateFile	C:\Test\BinaryPlanting\RealPlayer\http:\europe.real.com\realplayer\snippets\artis	NAME INVALID	Desired Access: R
11	4:33:1		3024	🛃 CreateFile	C:\Test\Binary		- · · ·
12	4:33:3	PealShare.exe	1520	🛃 CreateFile	C:\Test\Binary		
13	4:33:3	🥝 Real Play.exe 👘	3024	🛃 CreateFile	C:\Test\Binary		R
14	4:33:3	@RealPlay.exe	3024	🛃 CreateFile	C:\Test\Binary 🚱 🕗 🗢 🕌 « Test 🕨 BinaryPlanting 🕨 RealPlayer	▼ ⁴ → Sei	arch Rea 🔎 R



Showing 15 of 95 events (15%)

Backed by page file

2





SL 🔺 诸 📜 🕪

- @ X

Real Player on Windows XP (mpeg)

Process Monitor - Sysinternals: www.sysinternals.com							
<u>File E</u> dit	t E <u>v</u> ent Fi <u>l</u> ter <u>T</u> ools <u>O</u> pl	tions <u>H</u> elp					
🖬 🖻	; 💸 🖽 🖾 🔿	🔺 🌚 🏘 🤻					
Seq	Time Process Name	PID Operation	Path				
39101	11:50: 🥝RealPlay.exe	1840 QueryOpen	C:\Test\Media players\pngu3267.dll				
39547	11:50: 🥝RealPlay.exe	1840 QueryOpen	C:\Test\Media players\pngu3267.dll				
46232	11:51: 🥝RealPlay.exe	1840 QueryOpen	C:\Test\Media players\rapi.dll				
97369	11:51: 🥝RealPlay.exe	1840 QueryDirectory	C:\Test\Media players\normal				
103774	11:51: 🌍 RealPlay.exe	1840 QueryOpen	C:\Test\Media players\ieframe.dl				
106972	11:51: 🥑RealPlay.exe	1840 QueryOpen	C:\Test\Media players\rsaenh.dll				
112296	11:51: 🥑RealPlay.exe	1840 QueryOpen	C:\Test\Media players\http:\europe.real.com\inc\artistinfo\				
112357	11:51: 🥑RealPlay.exe	1840 QueryOpen	C:\Test\Media players\http:\europe.real.com\inc\artistinfo\				
112451	11:51: 🌠 RealPlay.exe	1840 QueryOpen	C:\Test\Media players\http:\europe.real.com\inc\artistinfo\				
117596	11:51: 🌠 RealPlay.exe	1840 QueryOpen	C:\Test\Media players\http:\europe.real.com\realplayer\snippets\artistinfo\rp14\				
117687	11:51: 🌠 RealPlay.exe	1840 QueryOpen	C:\Test\Media players\http:\europe.real.com\realplayer\snippets\artistinfo\rp14\				
117746	11:51: 🥑RealPlay.exe	1840 QueryOpen	C:\Test\Media players\http:\europe.real.com\realplayer\snippets\artistinfo\rp14\				
117865	11:51: 👰 RealPlay.exe	1840 QueryOpen	C:\Test\Media players\http:\europe.real.com\realplayer\snippets\artistinfo\rp14\				
144218	11:51: 🥝RealShare.exe	500 QueryOpen	C:\Test\Media players\pnrs3260.dll				
144982	11:51: 🥝RealShare.exe	500 QueryOpen	C:\Test\Media players\pnrs3260.dll				
170141	11:52: 🥑 RealPlay.exe	1840 QueryOpen	C:\Test\Media players\rio500.dll				
170372	11:52: 🥑RealPlay.exe	1840 QueryOpen	C:\Test\Media players\rio300.dll				
<							
Showing a	II 17 events	Backed by	page file				



Real Player on Windows XP (avi)

Process Monitor - Sysinternals: www.sysinternals.com							
<u>Eile E</u> dit	E <u>v</u> ent	Filter <u>T</u> ools <u>O</u> ption	s <u>H</u> elp				
🖬 🚔	1	👺 🖾 😤 🔺	A	5 🖉 🗟 🔩			
Seq	Time	Process Name	PID Opera	ration Path			
25100	12:25:		3624 QueryOp	Dpen C:\Test\Media players\pngu3267.dll			
25391	12:25:	🥝 Real Play.exe	3624 QueryOp	Dpen C:\Test\Media players\pngu3267.dll			
35988	12:25:	🥝 RealPlay.exe	3624 QueryOp	Dpen C:\Test\Media players\rapi.dll			
79487	12:25:	🥝 RealPlay.exe	3624 CreateFi	File C:\Test\Media players\msh263.drv			
79501	12:25:	🥝 Real Play.exe	3624 QueryOp	Dpen C:\Test\Media players\msh263.drv			
79596	12:25:	🥝 RealPlay.exe	3624 CreateFi	File C:\Test\Media players\msrle32.dll			
79610	12:25:	🥝 Real Play.exe	3624 QueryOp	Dpen C:\Test\Media players\msrle32.dll			
91099	12:25:	🥝 RealPlay.exe	3624 QueryDi	Directory C:\Test\Media players\normal			
97207	12:25:	🥝 RealPlay.exe	3624 QueryOp	Dpen C:\Test\Media players\ieframe.dll			
100406	12:26:	🥝 Real Play.exe	3624 QueryOp	Dpen C:\Test\Media players\rsaenh.dll			
122011	12:26:	🥝 RealPlay.exe	3624 QueryOp	Dpen C:\Test\Media players\http:\europe.real.com\inc\artistinfo\			
122151	12:26:	@RealPlay.exe	3624 QueryOp	Dpen C:\Test\Media players\http:\europe.real.com\inc\artistinfo\			
122341	12:26:	@RealPlay.exe	3624 QueryOp	Dpen C:\Test\Media players\http:\europe.real.com\inc\artistinfo\			
127728	12:26:	🥝 RealPlay.exe	3624 QueryOp	Dpen C:\Test\Media players\http:\europe.real.com\realplayer\snippets\artistinfo\rp14\			
127802	12:26:	🥝 RealPlay.exe	3624 QueryOp	Dpen C:\Test\Media players\http:\europe.real.com\realplayer\snippets\artistinfo\rp14\			
127878	12:26:	🥝 RealPlay.exe	3624 QueryOp	Dpen C:\Test\Media players\http:\europe.real.com\realplayer\snippets\artistinfo\rp14\			
128012	12:26:	🥝 RealPlay.exe	3624 QueryOp	Dpen C:\Test\Media players\http:\europe.real.com\realplayer\snippets\artistinfo\rp14\			
132270	12:26:	PealShare.exe	1356 QueryOp	Dpen C:\Test\Media players\pnrs3260.dll			
132893	12:26:	💯 RealShare.exe	1356 QueryOp	Dpen C:\Test\Media players\pnrs3260.dll			
140356	12:26:	🥝 Real Play.exe	3624 QueryOp	Dpen C:\Test\Media players\rio500.dll			
141068	12:26:	@RealPlay.exe	3624 QueryOp	Dpen C:\Test\Media players\rio300.dll			
<							
Showing al	l 21 eveni	ts	Ba	Backed by page file			











	ы		
	г	ς.	
	L	- 1	μ.
	Ŀ	14	a
	ν		

Organize 🔻 🛛 Inclu	ide in libri	ary 🔻	Share with	➡ Buri	n New fo	older 🔠 🔻 📋	
🧮 Desktop	* N	lame		*		Date modified	Тур
🕍 Recent Places		docur	nent.pdf			2/9/2012 3:16 PM	Ado
Documents Jocuments Music Pictures Videos	н						
Local Disk (C:)							
🕦 Network	+ 4			m			



Binary Planting Issues Found

Real Player

- 1. WinXP: RealPlay.exe loading planted rapi.dll upon startup
- 2. Win7: RealPlay.exe loading planted SHDOCLC.DLL upon startup
- 3. RealPlay.exe loading planted rio500.dll upon exit
- 4. RealPlay.exe loading planted rio300.dll upon exit
- 5. RealShare.exe loading planted pnrs3260.dll upon startup

Adobe Reader

6. AcroRd32.exe loading planted msiexec.exe (outside sandbox) upon reparing the Reader installation







Persistence On Computer

Plant Once, Exploit Many Times

DLL Search Order

LoadLibrary("SomeLib.dll")

- 1. The directory from which the application loaded
- 2. C:\Windows\System32
- 3. C:\Windows\System
- 4. C:\Windows
- 5. Current Working Directory (CWD)
- 6. PATH







Turning the Downloads Folder into a DLL Mine Field

(Original Clickjacking Remix)







Turning the Downloads Folder into an EXE Mine Field

("Ask no questions")





	R					ð	x
😋 🔵 🗢 📜 🕨 acros 🕨	Downloads				Searc	h Do	9
Organize 👻 Include i	n library 🔹 Share with 👻	New folder			•		0
Favorites Desktop Recent Places Downloads Libraries Documents Music Pictures Videos Computer Coal Disk (C:) Network			This folder is empty.				
🚱 🌔 🤇				- 😼 📆	() 8 2/	3:45 PM /27/201.	2

Advanced Persistent Benefits

- Persistent "download today, exploit later"
- Survives browser switching
- Installers get elevated privileges when asked
- No dependence on current working directory
- Fully automated





"Credits"

- Installers loading DLLs from their neighborhood
- InstallShield calls "msiexec.exe" without full path
- Browsers keep downloads until manually deleted
- Browsers share the Downloads folder
- Chrome download clickjackable
- Chrome EXE download fully automated







RSACONFERENCE 2012

Two Plus Two Is... An Attack Scenario

("Chrome, Reader, GMail and a pinch of curiosity")





←

→ C (3 192.168.0.88/binaryplanting/malicious.html

Friendly-Looking Malicious Page

This is a basic silent EXE download PoC for Chrome.

Click here to go to Google (and get a malicious EXE downloaded in the process).



2:00 PM

- 诸 🛄 🕩







De-mining The Downloads Folder

Browser Vendors

- Use modified names of all downloaded files cryptbase(0).dll, msiexec(0).exe
- Put downloaded files in individual subfolders
- No automatic downloads (doh)
- Make download process non-clickjackable

Users

- Manually clear the Downloads folder
- msiexec.exe, cryptbase.dll, ... can mean you were attacked
- Plant your own benign msiexec.exe and DLLs







Apply *This*

Save The Planet, Plant a Binary

Researchers





Researchers: Efficiency

Staying current

- Make sure you're working with the latest version of the product
- Make sure your O/S is up to date

Environmental variety

Different O/S, Different DLLs, different drivers, codecs...

Data variety

Different formats, file extensions, different content





Researchers: Check Your Claims

Make no assumptions

- Not every LoadImage is a hit
- ShellExecute will issue a security warning when launching from a share
- Code signing can be a deal-breaker (but not necessarily)

Don't blame the butler

 Check call stack to find which module is responsible for the bug, then check the module's details to find the author





Developers





Developers: Code Safely

Use only absolute paths

- LoadLibrary("relative.dll") FAIL
- CreateProcess("notepad.exe") FAIL
- ShellExecute("cmd.exe") FAIL

CWD usage

- Set CWD to a safe location, quickly
- Call SetDIIDirectory("")
- SetDefaultDIIDirectories, AddDIIDirectory and RemoveDIIDirectory





Developers: Monitor Your App

Observe file system operations

- On all supported O/S versions
- Different drivers, codecs etc.

Maximize execution coverage

- Different formats, file extensions, different content
- Try all test cases





Pentesters





Pentesters

Just-in-time binary planting

Find vulns where and when you need them

Usage

- Entering the target network
- Becoming local/domain administrator
- Propagating inside the target network
- Advanced: "blind binary planting"

Keep it simple

Forget DLL proxying, users are used to apps crashing











Resources

Tools

- Microsoft / Sysinternals Process Monitor
- Windows Debugging Symbols

Files

- 32 bit DLL: www.binaryplanting.com/demo/malicious32.dll
- 64 bit DLL: www.binaryplanting.com/demo/malicious64.dll
- EXE: calc.exe (what else?)

Knowledge

- www.binaryplanting.com
- blog.acrossecurity.com
- PenTest Magazine August 2011 (http://pentestmag.com/augustissue-pentesting-in-the-cloud/)



Plant Your Questions

Mitja Kolsek

ACROS



www.acrossecurity.com mitja.kolsek@acrossecurity.com @acrossecurity @mkolsek





